M

Notice of Allowability	Application No.	Applicant(s)		
	10/633,910	MIYAMORI ET AL.	MIYAMORI ET AL.	
	Examiner	Art Unit		
	Marc Jimenez	3726		
The MAILING DATE of this communication appeal of the communication appeal of the communication appeal of the communication appeal of the Office of Allowable, PROSECUTION ON THE MERITS IS herewith (or previously mailed), a Notice of Allowance (PTOL-85) NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT R of the Office or upon petition by the applicant. See 37 CFR 1.313	(OR REMAINS) CLOSED in or other appropriate comm IGHTS. This application is	n this application. If not include unication will be mailed in due	ed course. THIS	
1. This communication is responsive to the amendment filed	<u>on 12/6/04</u> .			
2. The allowed claim(s) is/are 1-11.	•			
3. The drawings filed on 04 August 2003 are accepted by the	e Examiner.			
4. Acknowledgment is made of a claim for foreign priority una) All b) Some* c) None of the: 1. Certified copies of the priority documents have 2. Certified copies of the priority documents have 3. Copies of the certified copies of the priority do International Bureau (PCT Rule 17.2(a)). * Certified copies not received: Applicant has THREE MONTHS FROM THE "MAILING DATE" noted below. Failure to timely comply will result in ABANDONN THIS THREE-MONTH PERIOD IS NOT EXTENDABLE. 5. A SUBSTITUTE OATH OR DECLARATION must be submin INFORMAL PATENT APPLICATION (PTO-152) which give (a) including changes required by the Notice of Draftspers 1) hereto or 2) To Paper No./Mail Date (b) including changes required by the attached Examiner's Paper No./Mail Date ldentifying indicia such as the application number (see 37 CFR 1 each sheet. Replacement sheet(s) should be labeled as such in to the deponant of the	e been received. e been received in Application cuments have been received of this communication to file MENT of this application. eitted. Note the attached EXA es reason(s) why the oath of the submitted. son's Patent Drawing Reviews Amendment / Comment of the header according to 37 CF sit of BIOLOGICAL MAT	on No d in this national stage applicate a reply complying with the recommendation is deficient. AMINER'S AMENDMENT or Not declaration is deficient. W (PTO-948) attached In the Office action of the drawings in the front (not the FR 1.121(d). ERIAL must be submitted. It	quirements IOTICE OF	
Attachment(s) 1. Notice of References Cited (PTO-892) 2. Notice of Draftperson's Patent Drawing Review (PTO-948) 3. Information Disclosure Statements (PTO-1449 or PTO/SB/0 Paper No./Mail Date 4. Examiner's Comment Regarding Requirement for Deposit of Biological Material	6. Interview S Paper No. 7. Examiner's	formal Patent Application (PTC) ummary (PTO-413), /Mail Date Amendment/Comment Statement of Reasons for Allowance Jimenez Primary Examiner Art Unit 3726 March 8, 2005	, and the second	

Application/Control Number: 10/633,910

Art Unit: 3726

REASONS FOR ALLOWANCE

1. The following is an examiner's statement of reasons for allowance:

Applicant's arguments, see page 5, lines 12-25 and page 6, lines 1-10, filed 12/6/04, with respect to the rejection of claims 1-10 under 35 U.S.C. 103(a) over Itoh (US 6,283,904) in view of Narita (JP 2002-40755A) have been fully considered and are persuasive. The rejection of claims 1-10 under 35 U.S.C 103(a) has been withdrawn.

It is agreed that Narita et al. do not disclose or suggest that the resistance adjustment layer can include a combination of thermoplastic resin having crosslinkable double bonds and rubber as claimed. The type of thermoplastic that Narita et al. uses does not include crosslinkable double bonds because there is no suggestion or teaching to use cross-linkable double bonds.

After further consideration, it has been determined that there is no provisional double patenting rejection between the instant application and application S/N 10/649,053. For example, the instant invention requires "thermoplastic resin being included in an amount of 5 to 50 wt%" which is not found in the claims of S/N 10/649,053. Application S/N 10/649,053 requires "a resistance adjusting layer formed radially outwardly of said electrically conductive elastic layer" which is not found in the claims of the instant invention. Therefore, the double patenting rejection has been withdrawn.

Any comments considered necessary by applicant must be submitted no later than the payment of the issue fee and, to avoid processing delays, should preferably accompany the issue fee. Such submissions should be clearly labeled "Comments on Statement of Reasons for Allowance."

Application/Control Number: 10/633,910

Art Unit: 3726

2. Any inquiry concerning this communication or earlier communications from the examiner should be directed to Marc Jimenez whose telephone number (571) 272-4530. The examiner can normally be reached on Monday-Friday between 5:30 a.m.-2:00 p.m.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Peter Vo can be reached on (571) 273-4530. The fax phone number for the organization where this application or proceeding is assigned is 703-872-9306.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

Marc Jinzenez

Primary Examiner

Page 3

Art Unit 3726

MJ

March 8, 2005